



extraudio®

**Quality Audio - Dystrybutor na Polskę
Cennik 02/2024 z VAT**

**MODEL:
X251 MKII**

Extraudio X251 MKII Integrated amplifier solid state
This new MKII version positions the X251 as a reference amplifier with more power and an even better finish.

DISCOVERY LINE

Extraudio output amplifier module EPAM 800W x2 4 Ohms, damping factor >1000, 40 Amps X2.

Include:
Remote Control
Charge cable
Power Cable
MUNDORF Supreme Capacitors Paper in oil, Gold and Silver 2%.

FINISHES: High Gloss White, Silver or Black + Chromed silver plated Knobs and Remote control.

53000zł

XP3 MKII

Extraudio XP3 MKII Preamplifier Pure Class A solid state

DISCOVERY LINE

Include:
Remote Control
Charge cable
Power Cable
MUNDORF Supreme Capacitors Paper in oil, Gold and pure Silver.

FINISHES: High Gloss White, Silver or Black + Chromed silver plated Knobs and Remote control.

44000zł

XP-A800 MKII

Extraudio XP-A800 MKII Power amplifier solid state

DISCOVERY LINE

Input Buffer pure Class A solid state Bjt + Extraudio output
Power amplifier module EPAM 800W x2 4 Ohms, 400W x2 8 Ohms, 40Amp x2. Damping Factor > 1000, Amplifier Gain 28 dB, Power Supply RMS Power Limit 1500W peak.

FINISHES: High Gloss White, Silver or Black + Chromed silver plated Knobs and Remote control.

44000zł

QUALITY AUDIO

Telefon: +48603987280
ul. Letniskowa 7, Chełmża

qualityaudio@wp.pl
www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

DAC1 DUAL R2R MKII

DISCOVERY LINE



Extraudio DAC1 MKII, This new MKII version includes a higher output level.

Discrete 4 channels R-2R Ladder Sign Magnitude, BALANCED DAC. 7 Digital inputs - BT HD, 2 i2S, USB, AESEBU, SPDIF RCA, BNC, Opt, 2 Outputs RCA and XLR R-2R Direct, BJT technology. DSD, DXD, PCM... Four ultra-low noise power supplies powered by two medical grade toroidal transformers and with a filtering of more than 50,000uF, double true mono, more than 600 resistors VFR 0.02% tolerance, double FPGA one for control and one dedicated to audio decoding... Extraudio anti-vibration chassis, made of 6000 series aeronautical aluminum, designed with solid panels.

Include MODULE DUAL i2s input and Bluetooth HD

FINISHES: High Gloss White, Silver or Black + Chromed silver plated Knobs.

OPTIONS: Remote control RC1 DAC

51200zł

X800 MKII

ORIGIN LINE



Extraudio X800 MKII Integrated amplifier

"The magic of Thermionic valves, "

Could the X800 integrated amplifier be better? Yes, MKII is the answer, more silence equals more sound, more than 21 changes in its topology of circuits and adjustments of electronic components.

EXTRAUDIO MODULE EPAM 800W x2 4 Ohms

6922 Premium GOLD PIN valves, matched and balanced triodes.

Extraudio's proprietary premium audio grade capacitors.

4 WBT speakers Binding Post (Germany)

OPTION: Phono Preamp MM MC IEC PH3

FINISHES: High Gloss White, Silver or Black + 24 karat gold plated knobs

119000zł

XP5 MKII

ORIGIN LINE



Extraudio XP5 MKII is a pure Class A line preamplifier.

"The magic of thermionic valves".

Could the XP5 line preamp be better? Yes, the answer is the MKII model. More silence means more sound, with over 21 changes in the circuit topology and adjustments of electronic components achieving performance and sound beyond parameters.

6922 Premium GOLD PIN valves, matched and balanced triodes.

Extraudio's proprietary premium audio grade capacitors.

OPTION: Phono Preamp MM MC IEC PH3

FINISHES: High Gloss White, Silver or Black + 24 karat gold plated knobs

109000zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraaudio®

Quality Audio - Dystrybutor na Polskę

MODEL:
XP-A1500 MKII

Extraaudio XP-A1500 MKII Power amplifier solid state, DUAL MONO, QUAD Power Supply, Extraaudio power amp modules EPAM Technology.

ORIGIN LINE

The new ORIGIN Line Super Power Amplifier XP-A1500.
Input Buffer pure Class A in Bjt technology.
DUAL MONO, QUAD POWER SUPPLY
DUAL EXTRAUDIO MODULE EPAM
1500W x2 8 Ohms, 90Amp x2, Damping Factor >2000.
4 WBT speakers Binding Post (Germany)



FINISHES: High Gloss White, Silver or Black + 24 karat gold plated knobs

110000zł

XP-A2000 (a pair)


Extraaudio XP-A2000 A pair dual mono power amplifier solid state.

Input Buffer pure Class A in Bjt technology. DUAL MONO, DUAL POWER SUPPLY, Extraudio MODULE Power amplifier EPAM Technology. DUAL OUTPUT Speakers WBT classic Signature Pole Terminal (Germany). **NOTE:** This mono power amplifier must be ordered to the factory configured in one of the two possible modes of operation:

Configuration 1, Bi-Wire: 1500W or 2500W x1 90Amp x1 with 2 identical WBT binding post speaker outputs (MONO or BI-WIRE)
Configuration 2, Bi-amplified: 800W x2 40Amp x2 of output on a pair of binding post-WBT speaker connectors for high and mid frequencies drivers and 800W x1 40 Amp of two other speakers outputs on two binding post-WBT for the bass drivers. Damping Factor > 2000, Amplifier Gain 36dB, Power Supply RMS Power Limit 1500W peak.

FINISHES: High Gloss White, Silver or Black + 24 karat gold plated knobs

ORIGIN LINE



200000zł

DAC2 QUAD R2R

Extraaudio DAC2

Discrete 4 channels R-2R Ladder Sign Magnitude BALANCED DAC.
7 Digital inputs - BT HD, 2 i2S, USB, AESEBU, SPDIF RCA, BNC, Opt,
2 Outputs RCA and XLR R-2R Direct and other XLR and RCA High level with BJT technology. DSD, DXD, PCM...

Six ultra-low noise power supplies powered by three medical grade toroidal transformers and with a filtering of more than 50,000uF, double true mono, more than 600 resistors VFR 0.01% tolerance, double FPGA one for control and one dedicated to audio decoding... Extraudio anti-vibration chassis, made of 6000 series aeronautical aluminum, designed with solid panels.

Include MODULE DUAL i2s input and Bluetooth HD

FINISHES: High Gloss White, Silver or Black + 24 karat gold plated knobs

OPTIONS: Remote control RC1

ORIGIN LINE



106000zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

REFERENCE PREAMP

REFERENCE LINE



Coming Soon 2024

Extraudio Reference Preamplifier pure class A, full balanced, dual mono, Quad Power Supply, Dual chassis. "The magic of thermionic valves".

This exclusive series of limited production of 10 to 20 units per year and with advance pre-sale annually.


Pre-specifications: Reference line preamplifier working fully balanced. Control and analysis of audio by zero crossing in real time. 12-bit, ultra-low noise binary volume control, 0.1% tolerance for superior stereo feel. Large LED matrix front screen for indications.

Double anti-resonant chassis, specially formulated for electro-ionic valves.

REFERENCE FINISHES: Satin darkened titanium or satin Nikel + satin copper plating + high gloss varnish in pressurized chamber. + 24 karat gold plated knobs.

STEREO POWER AMP

REFERENCE LINE



Coming Soon 2024

Extraudio REFERENCE Stereo Power Amp dual mono, Quad power supply, Selectable class A or AB, Power amplifier, with 4 electronic protections and exclusive finishes.

This exclusive series of limited production of 10 to 20 units per year and with advance pre-sale annually.

Pre-specifications:

Selectable, CLASS A or AB, Mono or Stereo operation.

Pure class A mode: 4 Ohms 120Wx2

Class AB mode: 4 Ohms 790Wx2

REFERENCE FINISHES: Satin darkened titanium or satin Nikel + satin copper plating + high gloss varnish in pressurized chamber. + 24 karat gold plated knobs.

MONO POWER AMP (a pair)

REFERENCE LINE



Coming Soon 2024

Extraudio REFERENCE Mono Power Amp (A pair) Dual Mono, Quad Power Supply, Selectable class A or AB, 4 electronic protections and exclusive finishes.

This exclusive series of limited production of 10 to 20 units per year and with advance pre-sale annually.

Pre-specifications:

Selectable, CLASS A or AB, Mono or Stereo operation.

Pure class A mode: 4 Ohms 200W X1

Class AB mode: 4 Ohms 1000W X1

REFERENCE FINISHES: Satin darkened titanium or satin Nikel + satin copper plating + high gloss varnish in pressurized chamber. + 24 karat gold plated knobs.

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

LAN One 1m

DIGITAL



Extraudio Ethernet LAN One CAT7, 1 meter.

(includes cryogenic treatment, five shields, total shielding, eight pure silver twisted pair cables with shielded RJ45 connectors of category 7)

The only Ethernet LAN cable specially formulated to transmit digital audio that has really surprised us with the immediate improvement when listening to digital music. That's why we can say that LAN One is a revelation for your digital music library.

It's hard to believe that a digital audio cable can improve the quality of a binary 0 or 1, or in other words, a single bit. But what if we talk about improving digital transmission? Here things change, since we are talking about transmission and there is noise and interference in the transmission of digital signals. LAN One eliminates and cleans the data flow, improving latency and jitter. This is the secret of our Extraudio LAN One digital cable.

For other cable lengths, please consult your distributor.

3800zł

USB One 1,8m

DIGITAL



Extraudio USB One High-end digital audio cable 1.8m A to B.

(USB with cryogenic treatment, dual Extraudio ferrite core, mix of graphite and pure copper 1.8m)

Our USB One cable is specifically designed to increase transmission speed in computer audio, DAC, and digital music server applications. The 1.8 meter distance is no accident; it has been part of a study to eliminate digital interference, RFI, and intermittent connections.

This Extraudio USB high-end digital audio cable model includes our exclusive ultra-quiet textile cover, cryogenic treatment, and gold-plated connections.

For other cable lengths, please consult your distributor.

3700zł

SPDIF One 1m

DIGITAL



Extraudio SPDIF One digital audio cable 75 Ohm, 1 meter (RCA to RCA or BNC).

Cryogenic treatment and 100% insulated, double shielded.

This high-end 75 Ohm SPDIF digital audio cable ensures clean and lossless data transmission thanks to its solid polyethylene dielectric. Specifically designed to enhance the digital signal of CD transports or any digital source with SPDIF RCA or BNC 75 Ohm connector. It also includes our exclusive ultra-quiet textile cover, cryogenic treatment, gold-plated connectors and double shielding.

For other cable lengths, please consult your distributor.

3900zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

AESEBU One 1m

Extraudio AES/EBU One digital audio cable 110 Ohm.
(XLR to XLR, Cryogenic treatment, three shields and ferrites)

The 110 ohm AES/EBU digital link is the perfect balanced digital connection to enhance any music or movie system. This model unlocks digital sources and reveals harmonic and spatial details with more tonal richness and dynamics.

This high-end digital cable model includes our exclusive ultra-quiet textile cover, cryogenic treatment, triple shielding, and gold-plated connectors. Double ferrites are strategically and manually placed on the cable to minimize electromagnetic interference in this cable.

Specifications: 110 Ohms, 0.081Ω/m, capacitance 46pF/m, inductance 0.8μH/m.

For other cable lengths, please consult your distributor.

DIGITAL



2950zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

RCA One 1m

Extraudio RCA One, high-end audio cable, 1m.
(RCA to RCA, cryogenic treatment, gold, natural, neutral, and organic sound)

ANALOG



Its best feature, "does not color or equalize the signal," allows the audio to pass without being altered, thanks to our exclusive mix of carbon core, graphite, and pure copper. It also has triple shield protection and is the solution for completely isolating the audio signal without interference, resulting in natural, neutral, and organic sound.

This Extraudio RCA to RCA model includes our exclusive ultra-quiet textile cover, cryogenic treatment, and gold-plated connections.

For other cable lengths, please consult your distributor.

3950zł

RCA Two 1.5m

Extraudio RCA Two, high-end audio cable, 1.5m.
(RCA to RCA with cryogenic treatment, rhodium and carbon connectors)

ANALOG



This cable provides smoothness, silkiness, naturalness, and extended dynamics across all frequencies, eliminating harshness in high frequencies.

Extraudio's Two models include our exclusive antimagnetic components, rhodium and carbon connectors, as well as cryogenic treatment.

For other cable lengths, please consult your distributor.

14400zł

RCA Three 1,5m

Extraudio RCA Three, high-end audio cable 1.5m.
(RCA to RCA with cryogenic treatment, rhodium, tellurium copper, and carbon fiber connectors)

ANALOG



The RCA Three is a masterpiece. Analog interconnects are essential for an expert-level music system. The RCA Three delivers ultra-defined bass output while creating an incredibly quiet soundstage so that low-level and high-frequency audio signals are displayed at an unmatched level.

Extraudio's Three models include our exclusive antimagnetic components, rhodium and carbon fiber connectors, as well as cryogenic treatment.

For other cable lengths, please consult your distributor.

19600zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

PHONO One 1.2m

Extraudio Phono One (a pair) of 1.2 meter.

(RCA to RCA with cryogenic treatment, gold plated connectors)

Introducing the Extraudio Phono One: a high-end audio cable that redefines excellence in the world of vinyl.

ANALOG



With a length of 1.2 meters and impeccable aesthetics, this RCA to RCA cable is a masterpiece in itself. Its ability to transmit the audio signal without altering it, thanks to our exclusive blend of carbon core, graphite, and pure copper, provides a pure and organic sound.

The Extraudio Phono One comes equipped with an extra silicone conductor and ground connectors designed for turntables, ensuring a perfect connection.

For a superior listening experience, choose the Extraudio Artisan audio cable Phono One.

For other cable lengths, please consult your distributor.

3670zł

PHONO Two 1.5m

Extraudio PHONO Two, (a pair) high-end audio cable, 1.5m.

(RCA to RCA with cryogenic treatment, rhodium and carbon connectors)

ANALOG



This cable provides smoothness, silkiness, naturalness, and extended dynamics across all frequencies, eliminating harshness in high frequencies, special for Phono use.

Extraudio's Two models include our exclusive antimagnetic parts, ground cable, rhodium and carbon connectors, as well as cryogenic treatment.

For other cable lengths, please consult your distributor.

14800zł

PHONO Three 1,5m

Extraudio PHONO Three, (a pair) high-end audio cable 1.5m.

(RCA to RCA with cryogenic treatment, rhodium, tellurium copper, and carbon fiber connectors)

ANALOG



The RCA Three is a masterpiece for Phono interconnect. Analog interconnects are essential for an expert-level music system. The RCA Three delivers ultra-defined bass output while creating an incredibly quiet soundstage so that low-level and high-frequency audio signals are displayed at an unmatched level.

Extraudio's Three models include our exclusive antimagnetic parts, ground cable, rhodium and carbon fiber connectors, as well as cryogenic treatment.

For other cable lengths, please consult your distributor.

20370zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraaudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

XLR One 1m

Extraudio XLR One, high-end audio cable, 1m.
(XLR to XLR with cryogenic treatment, gold and QUAD balanced connectors)

ANALOG



In our XLR One, we use our ultra-low noise quad cable with double shielding and cryogenic treatment that provides clarity, true timbre of instruments, and enhances micro-details. "The effect of this cable is that what is in the original recording is what you get."

One model includes our exclusive ultra-quiet textile cover and cryogenic treatment.

For other cable lengths, please consult your distributor.

4000zł

XLR Two 1,5m

Extraudio XLR Two, high-end audio cable, 1.5m.
XLR to XLR with cryogenic treatment, gold-plated connectors, and pure copper and graphite cable.

ANALOG



We use our conductor with a mix of graphite and pure copper, which brings naturalness and smoothness to the sound. We configure it with safeguards to eliminate external interference from ground loops. This model includes our antimagnetic parts, manually placed to achieve maximum interference elimination.

Extraudio's Two models include our exclusive antimagnetic parts, gold-plated pins, and cryogenic treatment.

For other cable lengths, please consult your distributor.

15800zł

XLR Three 1,5m

Extraudio XLR Three, high-end audio cable, 1.5m.
XLR to XLR with cryogenic treatment, carbon fiber, rhodium, and tellurium copper connectors.

ANALOG



The XLR Three is a masterpiece and a breakthrough that powers any premium audio system. Designed for audio sources and preamps, with fully balanced high-resolution differentials, the XLR Three is for discerning individuals who demand even more performance, timbre, and precision.

Extraudio's Three models include our exclusive antimagnetic parts, rhodium and carbon fiber connectors, tellurium copper, and cryogenic treatment.

For other cable lengths, please consult your distributor.

22800zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraaudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

Power Cord One 2m

Extraudio Power Cord One, high-end audio cable, 2m.
16A EU, UK, USA, cryogenic treatment, gold connectors, pure copper and graphite conductor, 14mm diameter, 6 wires.

POWER CORD



The entire game of a high-end audio system is played on these 2 meters of power cord. The One power cable is the perfect solution for high current between 10 to 16A without noise, formulated for mid-to-high level audio devices. The technology of mixing pure copper and graphite together with its large section provides high current and produces an even bigger and uncompromising sound. Using this cable provides a more realistic music listening experience and superior sound articulation. Extraudio's One models include our exclusive gold connectors, cryogenic treatment, and pure copper and graphite conductor.

For other cable lengths, please consult your distributor.

5000zł

Power Cord Two 2m

Extraudio Power Cord Two, high-end audio cable, 2m.
(16A EU, UK, USA, cryogenic treatment, rhodium connectors, tellurium copper, 17mm diameter, 8 wires)

POWER CORD



The entire game of a high-end audio system is played on these 2 meters of power cord. The Two power cord is the most perfect solution for high current power without noise, formulated for medium to high level audio devices. The technology of mixing pure copper and graphite together with its large section provides high current and produces an even bigger and uncompromising sound. Using this cable provides a more realistic and dynamic music listening experience.

Extraudio's Two models include our exclusive antimagnetic parts, rhodium and carbon connectors, cryogenic treatment, and tellurium copper.

For other cable lengths, please consult your distributor.

12500zł

Power Cord Three 2m

Extraudio Power Cord Three, high-end audio cable, 2m.
(16-20A EU, UK, USA, cryogenic treatment, rhodium and carbon fiber connectors, tellurium copper, 20mm diameter, 16 wires)

POWER CORD



The entire game of a high-end audio system is played on these 2 meters of power cord. The Three power cord is the most perfect solution for high current power without noise, formulated for the highest level audio devices. The technology of mixing pure copper and graphite together with its large section provides high current and produces an even bigger and uncompromising sound. Using this cable provides a more realistic and majestic music listening experience.

Extraudio's Three models include our exclusive antimagnetic parts, rhodium and carbon fiber connectors, cryogenic treatment, and tellurium copper.

For other cable lengths, please consult your distributor.

28600zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

Speaker One 3m

Extraudio a pair of speaker cables, model One, 3m.
(Cryogenic treatment, rhodium and carbon bananas, tellurium copper, 6 wires).

SPEAKER

The One speaker cable is an essential component for a mid and high-level music system. It delivers a well-defined and extended bass power while creating a silent interface between some of the most challenging amplifier and speaker combinations.



The Speaker One transfers power and nuances effortlessly thanks to its 6-conductor matrix with a cross-sectional area of 14mm, 3 conductors for the negative pole and 3 for the positive pole.

The Extraudio One model includes exclusive antimagnetic components, rhodium and carbon connectors, and cryogenic treatment.

For other cable lengths, please consult your distributor.

22000zł

Speaker Two 3m

Extraudio a pair of speaker cables, model Two, 3m .
(Cryogenic treatment, rhodium and carbon bananas, tellurium copper, 8 wires).

SPEAKER

Our mid-high point in speaker cables, The Two is an essential component for a mid-high level music system. It delivers a well-defined and extended bass power while creating a silent interface between some of the most challenging amplifier and speaker combinations. The Speaker Two transfers power and nuances effortlessly thanks to its 16mm diameter single-section 8-conductor matrix.



The Extraudio Two model includes exclusive antimagnetic components, rhodium and carbon connectors, and cryogenic treatment.

For other cable lengths, please consult your distributor.

28900zł

Speaker Three 3m

Extraudio a pair of speaker cables, model Three, 3m.
(Cryogenic treatment, rhodium and carbon bananas, tellurium copper, 16 wires).

SPEAKER

Our benchmark in speaker cables, this cable is an essential component for an expert or high-end music system. It delivers a well-defined and extended bass power while creating a silent interface between some of the most challenging speaker and amplifier combinations in the world.

The Speaker Three transfers power and nuances effortlessly thanks to its matrix of 16 double-section conductors with a diameter of 30mm.

The Three model includes our exclusive antimagnetic components, rhodium and carbon connectors, and cryogenic treatment.

For other cable lengths, please consult your distributor.

50900zł



QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

Speaker One 3m Bi-Wiring

SPEAKER



Extraudio One Bi-wiring model includes a pair of 3-meter speaker cables. (Cryogenic treatment., Carbon, Rhodium Tellurium copper, 8 wires)

The Speaker One bi-wired cable is an essential component for a mid to high-level music system. It delivers well-defined, extended bass power while creating a quiet interface between some of the most challenging amp and speaker combinations. Speaker One bi-wiring transfers power and nuance effortlessly thanks to its 16mm diameter single-section 8-conductor array. The bi-wired Speaker One separates, by two pairs of cables designed one for high frequencies, and another for low frequencies (So that the speaker crossovers and impedance work separately).

The Speaker One bi-wired model includes our exclusive antimagnetic parts, Rhodium and Carbon connectors, and Cryogenic treatment.

For other cable lengths, please consult your distributor.

28300zł

Speaker Two 3m Bi-Wiring

SPEAKER



Extraudio Two Bi-wiring model includes a pair of 3-meter speaker cables. (Cryogenic treatment., Carbon, Rhodium Tellurium copper, 8 wires)

Our mid-high point in speaker cables, The Two is an essential component for a mid-high level music system. It delivers well-defined, extended bass power while creating a quiet interface between some of the most challenging amp and speaker combinations. The Speaker Two transfers power and nuance effortlessly thanks to its 16mm diameter single-section 8-conductor matrix.

The Speaker Two bi-wired model includes our exclusive antimagnetic parts, Rhodium and Carbon connectors, and Cryogenic treatment.

For other cable lengths, please consult your distributor.

35000zł

Speaker Three 3m Bi-Wiring

SPEAKER



Extraudio Three Bi-wiring model includes a pair of 3-meter speaker cables. (Cryogenic treatment., Carbon, Rhodium Tellurium copper, 16 wires)

Our benchmark in speaker cable, this cable is an essential component for an expert-level music system. Delivers well-defined, extended bass power while creating a quiet interface between some of the most challenging speaker-amp combinations. The Speaker Three transfers power and nuance effortlessly thanks to its matrix of 16 double-section 30mm diameter conductors.

The Speaker Three bi-wired model includes our exclusive antimagnetic parts, Rhodium and Carbon connectors, and Cryogenic treatment.

For other cable lengths, please consult your distributor.

56000zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

JUMPER SPEAKER 20cm

Extraudio Loudspeaker Jumpers, 4 units of 20cm.
(Cryogenic treatment, rhodium and carbon bananas and spades, tellurium copper, 4 wires).

However, for various reasons, bi-wiring may not always be possible. For those moments, Extraudio Bi-Wire Jumpers offer significantly improved performance compared to the common metal jumpers that come with most bi-wire-ready speakers.

The Extraudio Speaker Jumpers set includes 4 pieces of cables with a mix of graphite and pure copper, 4 Banana connectors and 4 Spade Rhodium connectors, each measuring 20 cm in length.

For other cable lengths, please consult your distributor.



ACCESORIES

5000zł

CABLE RISER

Extraudio Speaker cable riser elevates performance and eliminates mechanical transmission and interference.
(8-piece set)

ACCESORIES

Designed and simulated in 3D down to the smallest detail, to ensure that our speaker cables are suspended and floating, eliminating any contact and disturbance around them. Extraudio performance risers are built with high-strength polymers, protecting the speaker cables that run through the ground, eliminating mechanical transmission, low frequencies, radio frequency, magnetic and electrical interference that interfere between the amplifier and the speakers, further liberating our music.

Enjoy music with Extraudio products.



4500zł

ISOLAN

The Extraudio ISOLAN local network isolator.

"Are you tired of spending on expensive local network switches for audio? Extraudio's ISOLAN is the best solution if you only need to protect and clean the digital signal of a single Ethernet local network connection. With ISOLAN you will get exceptional sound quality and protection unmatched. Don't wait any longer to experience the power of ISOLAN from Extraudio.

The local network isolator ISOLAN, provides galvanic isolation between the device connected to the local network and the Internet switch or router, without loss of speed. Even NAS or Streamer or any device connected to the local network such as computers or other devices benefit from the electrical protection and anti-interference of ISOLAN.

The trapezoidal or truncated pyramid chassis design is not random, it evokes the value of a gold ingot just as gold is a safe savings value, the Extraudio ISOLAN provides value and security to our digital audio devices and therefore is a great value of protection globally.

Galvanic isolation insulation protector for local network with RJ45 Ethernet connections of category 7 and 8. Provides electrical protection up to 5000V and

ACCESORIES



2750zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraaudio®

Quality Audio - Dystrybutor na Polskę

MODEL:

REMOTE CONTROL DAC1 and DAC2

ACCESORIES



Optional Extraaudio remote control for DAC1 or DAC2.

The optional remote control, compatible with DAC1 and DAC2 models, provides greater comfort.

The functions are:

- On/Off
- Input Up
- Input Down
- Mute

It includes our own control software and additional advantages, such as an internal charger via USB port, internal rechargeable Lipo battery, and coverage from 20 to 80 meters depending on the country or radioelectric interference.

4300zł

PH2 MM/MC

ACCESORIES



Extraaudio PHONO PREAMPLIFIER MODULE MM/MC

Optional module, phono preamplifier for MM/MC cartridge.

Pure Class A Phono Preamplifier with Bjt transistors and Op Amps.

Input sensitivity (MM input) 3.5mV (for full output) Input sensitivity (MC inputs) 350uV (for full output)

Gain: MM (40dB) / MC (60dB)

Input impedance, MM (47kohms/120pF) Input impedance, MC (100ohms/120pF). The PH2 has a Phono input for turntables compatible with moving magnet (MM) cartridges or moving coil (MC) cartridges. Use the MM / MC slide button inside the module, switch to select the type of cartridge to use on your turntable.

You must order the Phono module pre-configured at the factory with your choice, or MM, or MC.

NOTE: Do not manipulate the module without turning off.

4200zł

PH3 MM/MC/IEC

ACCESORIES



Extraaudio PH3 PHONO PREAMPLIFIER MODULE MM/MC/IEC

The Extraaudio Phono Preamp MM/MC/IEC V3 is a compact and ultra-quiet module that has been designed to restore the RIAA curve recorded on a vinyl record and achieve an authentic and exceptional reproduction of analog sound.

This preamplifier features sound-focused technology, using small SMD and through-hole components to shorten the audio signal path, combined with highquality electronic components designed for audio signals, such as Styroflex capacitors.

Additionally, the preamplifier operates with ultra-low noise BJT transistors mounted in parallel configuration and is designed with an oversized, ultra-quiet power supply to amplify the most complex musical passages.

All of this combined allows for wide, spatial, organic, true, and natural analog sound reproduction on vinyl like no other phono preamplifier.

NOTE: Do not manipulate the module without turning off.

5650zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:
XP1 to XP5 MKII

UP-GRADE Preamplifier Extraudio XP1 to XP5 MKII.

Include:

New printed circuit boards immersion in electrolytic gold and new electronic components.
Electrolytic gold plated 4 layer main board and output PCB and all new electronics components.
Updating the preamplifier software and the remote control.
Change frontal panel.
12 Hours labor + plus three-year extension of official warranty.

Not include shipment or taxes.
Not include Phono Preamp.

UP-GRADE



34000zł

X250 to X800 MKII

UP-GRADE Integrated Amplifier Extraudio X250 to X800 MKII.

Include:

New printed circuit boards immersion in electrolytic gold and new electronic components.
Electrolytic gold plated 4 layer main board and output PCB and all new electronics components.
Extraudio Power amplifier Module EPAM 800Wx2 4 Ohms
Updating the integrated amplifier software and the remote control.
Change frontal panel.
12 Hours labor + plus three-year extension of official warranty.

Not include shipment or taxes.
Not include Phono Preamp.

UP-GRADE



43000zł

X251 to X251 MKII

UP-GRADE Integrated amplifier Extraudio X251 to X251 MKII.

More silence = more sound, more transparency and three-dimensionality in the sound, more than 21 changes in its topology of circuits and adjustments of electronic components.
Extraudio EPAM module change of power amplifier from 280W to 800W and 40 Amps X2.

Updating the integrated amplifier software and the remote control.
8 Hours labor, plus three-year extension of official warranty.

Not include shipment or taxes.
Not include Phono Preamp.

UP-GRADE



QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl



extraudio®

Quality Audio - Dystrybutor na Polskę

MODEL:
X800 to X800 MKII

UP-GRADE Integrated amplifier Extraudio XP800 to X800 MKII.

Could the X800 integrated amplifier be better? Yes, MKII is the answer, more silence equals more sound, more than 21 changes in its topology of circuits and adjustments of electronic components.

Checking and changing valves.

Updating the integrated amplifier software and the remote control.

14 Hours labor + plus three-year extension of official warranty.

Not include shipment or taxes.

Not include Phono Preamp.



17000zł

XP5 to XP5 MKII

UP-GRADE Preamplifier Extraudio XP5 to XP5 MKII.

Could the XP5 line preamp be better? Yes, MKII is the answer, more silence equals more sound, more than 21 changes in its topology of circuits and adjustments of electronic components.

Checking and changing valves.

Updating the preamplifier software and the remote control.

12 Hours labor + plus three-year extension of official warranty.

Not include shipment or taxes.

Not include Phono Preamp.



17000zł

XP-A1500 to XP-A1500 MKII

Up-grade Power amplifier XP-A1500 to new version 2023 MKII.

New PCB input and power supply + new software.

Not include shipment or taxes.



18700zł

QUALITY AUDIO

Telefon: +48603987280

ul. Letniskowa 7, Che m a

qualityaudio@wp.pl

www.qualityaudio.pl